*Journal of Immunological Methods*, 146 (1992) 273–274

© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

# Contents to volume 146 (1992)

**Number 1 – 21 January 1992**

*Research reports*

Computer program for planning and evaluating microplate experiments
*P. Siman (Czechoslovakia)* 1

Unexpected interaction of some anti-TNP hybridoma antibodies with Superose HPLC gel filtration resins
*T.E. Michaelsen, M.F. Løfsgaard, A. Aase and B. Heyman (Norway, Sweden)* 9

IgG subclass distribution of anti-HBs antibodies following vaccination with cDNA HBsAg
*R.M. Borzì, P. Dal Monte, M.C. Honorati and A. Facchini (Italy)* 17

*Escherichia coli* heat-stable enterotoxin (STa)-biotin conjugates for the titration of STa antisera by an enzyme-linked immunosorbent assay
*Y. Germani, H. DeRocquigny and J.L. Guesdon (New Caledonia, France)* 25

Production and characterisation of monoclonal antibodies to the mid-region 37–67 sequence of parathyroid hormone-related protein
*W.A. Ratcliffe, S.J. Bowden, J. Emly, S. Hughes and J.G. Ratcliffe (U.K.)* 33

An oscillating bubble chamber for laboratory scale production of monoclonal antibodies as an alternative to ascitic tumours
*R. Pannell and C. Milstein (U.K.)* 43

Separation of peripheral blood lymphocytes with low platelet and erythrocyte contamination, using ADP aggregation
*L.M. Castell (U.K.)* 49

Measurement of lysozyme by an enzyme-linked immunosorbent assay
*D.C. Taylor, A.W. Cripps and R.L. Clancy (Australia)* 55

Establishment of anti-human neuroblastoma-selective isotype-switch variants
*C. D'Uscio and K. Blaser (Switzerland)* 63

Analysis of amplified T cell receptor Vβ transcripts by a non-isotopic immunoassay
*A. Bettinardi, L. Imberti, A. Sottini and D. Primi (Italy)* 71

Simultaneous multiple synthesis of peptide-carrier conjugates
*N.J. Maeji, G. Tribbick, A.M. Bray and H.M. Geysen (Australia)* 83

Calculation of lytic units for the expression of cell-mediated cytotoxicity
*J. Bryant, R. Day, T.L. Whiteside and R.B. Herberman (U.S.A.)* 91

A quantitative immunoassay using chicken antibodies for detection of native and recombinant α-amidating enzyme
*A.M. Sturmer, D.P. Driscoll and D.E. Jackson-Matthews (U.S.A.)* 105

Propagation of a mouse myeloma cell line J558L producing human CD4 immunoglobulin G1
*E.-J. Schlaeger and B. Schumpp (Switzerland)* 111

The use of spent renal dialysis membranes for the isolation of large numbers of human neutrophils for biochemical studies. Application to purification of the myeloid IgA receptor (FcαR)
*R.L. Mazengera, M.A. Kerr and A.S. Todd (U.K.)* 121

An improved haemolytic plaque assay for the detection of cells secreting antibody to bacterial antigens
*T. Barington and C. Heilmann (Denmark)* 129

*Software notice*

MPLAT – a program for the planning and evaluation of microplate experiments
*P. Siman (Czechoslovakia)* 139

*Announcements* 141

*Notes to authors* 143

**Number 2 – 5 February (1992)**

*Research reports*

Details of an isolation method for hepatic lymphocytes in mice
*H. Watanabe, K. Ohtsuka, M. Kimura, Y. Ikarashi, K. Ohmori, A. Kusumi, T. Ohteki, S. Seki and T. Abo (Japan)* 145

A colorimetric microtiter assay for the quantitation of cytokine activity on adherent cells in tissue culture
*Y. Keisari (Israel)* 155

Real-time biospecific interaction analysis of antibody reactivity to peptides from the envelope glycoprotein, gp160, of HIV-1
*T.C. VanCott, L.D. Loomis, R.R. Redfield and D.L. Birx (USA)* 163

Quantitation of glioma-reactive cytolytic T lymphocyte precursors by means of limiting dilution analysis
*J.-J. Tzeng, R.F. Barth and C.G. Orosz (USA)* 177

Isolation of maternal mononuclear cells from placentas for use in in vitro functional assays
*F.N. Rasheed, J.N. Bulmer, L. Morrison, M.F.B. Jawla, M. Hassan-King, E.M. Riley and B.M. Greenwood (Gambia, UK)* 185

A new method for detachment of Dynabeads from positively selected B lymphocytes
*A.-M. Rasmussen, E.B. Smeland, B.K. Erikstein, L. Caignault and S. Funderud (Norway, France)* 195

Physical separation of ICAM-1 binding cells
*H. Hedman, H. Brändén and E. Lundgren (Sweden)* 203

A novel format for a rapid sandwich EIA and its application to the identification of snake venoms
*J.C. Cox, A.V. Moisidis, J.M. Shepherd, D.P. Drane and S.L. Jones (Australia)* 213

A method of preparing blood leucocytes for flow cytometry which prevents upregulation of leucocyte integrins
*A. Hamblin, M. Taylor, J. Bernhagen, Z. Shakoor, S. Mayall, G. Noble and D. McCarthy (UK)* 219

The statistical analysis of data from immunoepidemiological studies
*S. Bennett and E.M. Riley (UK)* 229

An enhanced chemiluminescence detection system combined with a modified immunoblot technique for the detection of low molecular weight IgM in sera from healthy adults and neonates
*H.J. Xu, K. Umapathysivam, J. McNeilage, T.P. Gordon and P.J. Roberts-Thomson (Australia)* 241

Low temperature pepsin proteolysis. An effective procedure for mouse IgM $F(ab')_2$ fragment production
*D.W. Pascual and L.W. Clem (USA)* 249

*Letters to the editors*

Multi-well cell monolayers for immunocytochemistry. An alternative to cytocentrifuge preparations
*H. Veenstra and E.B. Dowdle (South Africa)* 257

Jacalin and artocarpin
*J.L. Preud'homme, P. Aucouturier and N. Gualde (France)* 259

Reply to the letter of J.L. Preud'homme et al.
*I.K.F. De Miranda-Santos, J.O. Mengel Junior, M.M. Bunn-Moreno and A. Campos-Neto (Brazil)* 261

*Book reviews* 265

*Announcements* 269

*Contents to volume 146 (1992)* 273

*Notes to authors* 275